according to Hazard Communication Standard; 29 CFR 1910.1200



OFF!® DEEP WOODS® SPORTSMEN INSECT REPELLENT II

Version 0.0

Revision Date 00/00/0000

Print Date 09/06/2016

SDS Number 35000004808 GEN_SOF Number 16144

1. PRODUCT AND COMPANY IDENTIFICATION

Product information		
Product name	:	OFF!® DEEP WOODS® SPORTSMEN INSECT REPELLENT
Recommended use	:	Insect Repellent
Manufacturer, importer, supplier	:	S.C. Johnson & Son, Inc. 1525 Howe Street Racine WI 53403-2236
Telephone Emergency telephone number	:	+18005585252 24 Hour Medical Emergency Phone: (866)231-5406 24 Hour International Emergency Phone: (703)527-3887 24 Hour Transport Emergency Phone: (800)424-9300

2. HAZARDS IDENTIFICATION

Classification of the substance or mixture

Hazard classification	Hazard category	Hazards identification		
Aerosol	Category 1	Extremely flammable aerosol.		
Eye irritation	Category 2A	Causes serious eye irritation.		
Gases under pressure	Liquefied gas	Contains gas under pressure; may explode if heated.		

Globally Harmonized System (GHS) Classification

Labelling

Hazard symbols Flame Gas cylinder Exclamation mark

Signal word Danger

Hazard statements

Extremely flammable aerosol. Contains gas under pressure; may explode if heated.

according to Hazard Communication Standard; 29 CFR 1910.1200



OFF!® DEEP WOODS® SPORTSMEN INSECT REPELLENT II

Version 0.0

Revision Date 00/00/0000

Print Date 09/06/2016

SDS Number 35000004808 GEN_SOF Number 16144

Causes serious eye irritation.

Precautionary statements If medical advice is needed, have product container or label at hand. Keep out of reach of children. Read label before use. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/ attention. Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F. Protect from sunlight. Store in a well-ventilated place. Keep away from heat/sparks/open flames/hot surfaces. No smoking. Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use. Wear protective gloves/ protective clothing/ eye protection/ face protection. Wash hands thoroughly after handling. Other hazards None identified •

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS-No.	Weight percent
Ethyl alcohol	64-17-5	30.00 - 60.00
N,N-Diethyl-m-toluamide	134-62-3	30.00 - 60.00
Butane	106-97-8	1.00 - 5.00
Propane	74-98-6	1.00 - 5.00
Isobutane	75-28-5	1.00 - 5.00

The specific chemical identity and/or exact percentage (concentration) of this composition has been withheld as a trade secret.

For additional information on product ingredients, see www.whatsinsidescjohnson.com.

4. FIRST AID MEASURES

Eye contact

: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/ attention.

according to Hazard Communication Standard; 29 CFR 1910.1200



OFF!® DEEP WOODS® SPORTSMEN INSECT REPELLENT II

Version 0.0

Revision Date 00/00/0000

Print Date 09/06/2016

SDS Number 35000004808 GEN_SOF Number 16144

Skin contact	:	If you suspect a reaction to this product, discontinue use and remove contaminated clothing.
Inhalation	:	No special requirements.
Ingestion	:	No special requirements

5. FIREFIGHTING MEASURES

Suitable extinguishing media		ater spray, alcohol-resistant foam, dry chemical or n dioxide.
Specific hazards during firefighting	fire. D	ol Product - Containers may rocket or explode in heat of o not allow run-off from fire fighting to enter drains or courses.
Further information	use ca contai self-co	ire from maximum distance or protected area. Cool and aution when approaching or handling fire-exposed ners. Wear full protective clothing and positive pressure ontained breathing apparatus. In case of fire and/or sion do not breathe fumes.
NFPA Classification	: NFPA	Level 2 Aerosol

6. ACCIDENTAL RELEASE MEASURES

Personal precautions	:	Remove all sources of ignition. Wear personal protective equipment. Wash thoroughly after handling.
Environmental precautions	:	Do not flush into surface water or sanitary sewer system. Use appropriate containment to avoid environmental contamination. Outside of normal use, avoid release to the environment.
Methods and materials for containment and cleaning up	:	If damage occurs to aerosol can: Contain spillage, soak up with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and transfer to a container for disposal according to local /
		3/15



OFF!® DEEP WOODS® SPORTSMEN INSECT REPELLENT II

Version 0.0

Revision Date 00/00/0000

Print Date 09/06/2016

SDS Number 35000004808 GEN_SOF Number 16144

national regulations (see section 13). Use only non-sparking equipment. Dike large spills. Clean residue from spill site.

7. HANDLING AND STORAGE

Handling		
Precautions for safe handling	:	Avoid contact with eyes and lips. For personal protection see section 8. Use only as directed. KEEP OUT OF REACH OF CHILDREN AND PETS. Pressurized container. Do not pierce or burn, even after use. Wash thoroughly after handling.
Advice on protection against fire and explosion	:	Keep away from sources of ignition - No smoking. Do not spray on an open flame or other ignition source.
Storage		
Requirements for storage areas and containers	:	Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F. Keep away from food, drink and animal feedingstuffs. Keep in a dry, cool and well-ventilated place.
Other data	:	Stable under recommended storage conditions.

according to Hazard Communication Standard; 29 CFR 1910.1200



OFF!® DEEP WOODS® SPORTSMEN INSECT REPELLENT II

Version 0.0

Revision Date 00/00/0000

Print Date 09/06/2016

SDS Number 35000004808 GEN_SOF Number 16144

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Occupational Exposure Limits

Components	CAS-No.	mg/m3	ppm	Non- standard units	Basis
Ethyl alcohol	64-17-5	1,900 mg/m3	1,000 ppm	-	OSHA TWA
Ethyl alcohol	64-17-5	-	1,000 ppm	-	ACGIH STEL
Butane	106-97-8	-	1,000 ppm	-	ACGIH STEL
Propane	74-98-6	1,800 mg/m3	1,000 ppm	-	OSHA TWA
Propane	74-98-6	-	-	-	ACGIH TWA
Isobutane	75-28-5	-	1,000 ppm	-	ACGIH STEL

Personal protective equipment

Respiratory protection	:	Do not spray in enclosed areas.
Hand protection	:	No special requirements.
Eye protection	:	Safety glasses with side-shields
Skin and body protection	:	No special requirements.
Hygiene measures	:	Handle in accordance with good industrial hygiene and safety practice. Wash thoroughly after handling.

9. PHYSICAL AND CHEMICAL PROPERTIES

according to Hazard Communication Standard; 29 CFR 1910.1200



OFF!® DEEP WOODS® SPORTSMEN INSECT REPELLENT II

Version 0.0

Revision Date 00/00/0000

Print Date 09/06/2016

SDS Number 35000004808 GEN_SOF Number 16144

Form	: aerosol
Color	: clear
Odor	: characteristic
Odour Threshold	: No data available
рН	: Not applicable
Melting point/freezing point	: Not applicable
Initial boiling point and boiling range	: No data available
Flash point	: < -7 °C < 19.4 °F Method: Tag Closed Cup (TCC) Propellant
Evaporation rate	: No data available
Flammability (solid, gas)	: Sustains combustion
Upper/lower flammability or explosive limits	: No data available
Vapour pressure	: No data available
Vapour density	: No data available
Relative density	: 0.84 g/cm3 at 21 °C
	6/15

according to Hazard Communication Standard; 29 CFR 1910.1200



OFF!® DEEP WOODS® SPORTSMEN INSECT REPELLENT II

Version 0.0

Revision Date 00/00/0000

Print Date 09/06/2016

SDS Number 35000004808 GEN_SOF Number 16144

Solubility(ies)	:	slightly soluble	
Partition coefficient: n- octanol/water	:	No data available	
Auto-ignition temperature	:	No data available	
Decomposition temperature	:	No data available	
Viscosity, dynamic	:		
Viscosity, kinematic	:	No data available	
Oxidizing properties	:	No data available	
Volatile Organic Compounds Total VOC (wt. %)*	:	65 % - additional exemptions may apply *as defined by US Federal and State Consumer Product Regulations	
Other information	:	None identified	:
10. STABILITY AND REACTIVITY			
Possibility of hazardous reactions	:	Stable under recommended storage conditions.	
Conditions to avoid	:	Heat, flames and sparks.	
Incompatible materials	:	Strong oxidizing agents	
Hazardous decomposition products	:	Thermal decomposition can lead to release of irritating gases and vapours.	
		7/15	

according to Hazard Communication Standard; 29 CFR 1910.1200



OFF!® DEEP WOODS® SPORTSMEN INSECT REPELLENT II

Version 0.0

Revision Date 00/00/0000

Print Date 09/06/2016

SDS Number 35000004808 GEN_SOF Number 16144

11. TOXICOLOGICAL INFORMATION

Emergency Overview : Danger

:

Acute oral toxicity : Acute inhalation toxicity :

Acute dermal toxicity

GHS Properties	Classification	Routes of entry
Acute toxicity	No classification proposed	-
Skin corrosion/irritation	No classification proposed	-
Eye irritation	Category 2A	-
Skin sensitisation	No classification proposed	-
Respiratory sensitisation	No classification proposed	-
Germ cell mutagenicity	No classification proposed	-
Carcinogenicity	No classification proposed	-
Reproductive toxicity	No classification proposed	-
Specific target organ toxicity - single exposure	No classification proposed	-
Specific target organ toxicity - repeated exposure	No classification proposed	-
Aspiration hazard	No classification proposed	-

Aggravated Medical Condition

: Do not apply to cuts or irritated skin.

8/15

according to Hazard Communication Standard; 29 CFR 1910.1200



OFF!® DEEP WOODS® SPORTSMEN INSECT REPELLENT II

Version 0.0

Revision Date 00/00/0000

Print Date 09/06/2016

SDS Number 35000004808 GEN_SOF Number 16144

12. ECOLOGICAL INFORMATION

Product : The product itself has not been tested.

Toxicity

The ingredients in this formula have been reviewed and no adverse impact to the environment is expected when used according to label directions.

Toxicity to fish

Components	End point	Species	Value	Exposure time
Ethyl alcohol	LC50	Fish	11,200 mg/l	96 h
N,N-Diethyl-m-toluamide	static test LC50	Oncorhynchus mykiss (rainbow trout)	71.25 mg/l	96 h
Butane	LC50 QSAR	Fish	27.98 mg/l	96 h
Propane	LC50	Fish	27.98 mg/l	96 h
Isobutane	LC50 QSAR	Fish	27.98 mg/l	96 h

Toxicity to aquatic invertebrates

Components	End point	Species	Value	Exposure time
Ethyl alcohol	static test LC50	Ceriodaphnia dubia		48 h
		9/15		



OFF!® DEEP WOODS® SPORTSMEN INSECT REPELLENT II

Version 0.0

Print Date 09/06/2016

Revision Date 00/00/0000

SDS Number 35000004808 GEN_SOF Number 16144

			5,012 mg/l	
	NOEC	Daphnia magna	9.6 mg/l	9 d
N,N-Diethyl-m-toluamide	LC50	Daphnia magna (Water flea)	75 mg/l	51 h
	semi- static test NOEC Measured OECD Guideline 211 (Daphnia magna Reproduct ion Test)	Daphnia magna	3.7 mg/l	21 d
Butane	No data available			
Propane	LC50	Daphnid	14.22 mg/l	48 h
Isobutane	LC50 QSAR	Daphnid	16.33 mg/l	48 h

Toxicity to aquatic plants

Components	End point	Species	Value	Exposure time
Ethyl alcohol	Static	Chlorella vulgaris (Fresh	275 mg/l	72 h



OFF!® DEEP WOODS® SPORTSMEN INSECT REPELLENT II

Version 0.0

Print Date 09/06/2016

Revision Date 00/00/0000

SDS Number 35000004808 GEN_SOF Number 16144

	EC50	water algae)		
N,N-Diethyl-m-toluamide	NOEC	Pseudokirchneriella subcapitata (green algae)	0.521 mg/l	96 h
Butane	EC50 QSAR	Green algae	7.71 mg/l	96 h
Propane	No data available			
Isobutane	EC50 QSAR	Green algae	8.57 mg/l	96 h

Persistence and degradability

Component	Biodegradation	Exposure time	Summary
Ethyl alcohol	97 %	28 d	Readily biodegradable
N,N-Diethyl-m-toluamide	83.8 %	28 d	Readily biodegradable
Butane	100 %	385.5 h	Readily biodegradable
Propane	70 %	< 10 d	Readily biodegradable
Isobutane	70 %	< 10 d	Readily biodegradable

Bioaccumulative potential

Component	Bioconcentration factor (BCF)	Partition Coefficient n- Octanol/water (log)
Ethyl alcohol	3.2 estimated	-0.35 Measured
N,N-Diethyl-m-toluamide	21.9 estimated	2.4
Butane	No data available	2.89
Propane	No data available	2.36
Isobutane	1.57 - 1.97	2.8

according to Hazard Communication Standard; 29 CFR 1910.1200



OFF!® DEEP WOODS® SPORTSMEN INSECT REPELLENT II

Version 0.0

Revision Date 00/00/0000

Print Date 09/06/2016

SDS Number 35000004808 GEN_SOF Number 16144

Mobility

Component	End point	Value	
Ethyl alcohol	No data available		
N,N-Diethyl-m-toluamide	Кос	43.3	
Butane	No data available		
Propane	No data available		
Isobutane	No data available		

PBT and vPvB assessment

Component	Results
Ethyl alcohol	Not fulfilling PBT and vPvB criteria
N,N-Diethyl-m-toluamide	Not fulfilling PBT and vPvB criteria
Butane	Not fulfilling PBT and vPvB criteria
Propane	Not fulfilling PBT and vPvB criteria
Isobutane	Not fulfilling PBT and vPvB criteria

Other adverse effects : None known.

13. DISPOSAL CONSIDERATIONS

PESTICIDAL WASTE:

For disposal information, please read and follow Disposal instructions on the pesticide label. Consumer may discard empty container in trash, or recycle where facilities exist.

14. TRANSPORT INFORMATION

Please refer to the Bill of Lading/receiving documents for up-to-date shipping information.

12/15



OFF!® DEEP WOODS® SPORTSMEN INSECT REPELLENT II

Version 0.0

Revision Date 00/00/0000

Print Date 09/06/2016

SDS Number 35000004808 GEN_SOF Number 16144

	Land transport	Sea transport	Air transport
UN number	1950	1950	1950
UN proper	AEROSOLS,	AEROSOLS,	AEROSOLS,
shipping name	Flammable	Flammable	Flammable
Transport hazard	2.1	2	2.1
class(es)			
Packing group	-	-	-
Environmental	-	-	-
hazards			
Special	Limited quantities	Limited quantities	Limited quantities
precautions for	derogation may be	derogation may be	derogation may be
user	applicable to this	applicable to this	applicable to this
	product, please check	product, please	product, please check
	transport documents.	check transport documents.	transport documents.

15. REGULATORY INFORMATION

FIFRA Labeling

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals.

Following is the hazard information as required on the pesticide label:

WARNING: Causes substantial but temporary eye injury. Harmful if swallowed. Use of this product may cause skin reactions in rare cases. Flammable. Contents under pressure. Exposure to temperatures above 120° F may cause bursting.

Notification status : All ingredients of this product are listed or are excluded from listing on the U.S. Toxic Substances Control Act (TSCA) Chemical Substance Inventory.

according to Hazard Communication Standard; 29 CFR 1910.1200



OFF!® DEEP WOODS® SPORTSMEN INSECT REPELLENT II

Version 0.0

Revision Date 00/00/0000

Print Date 09/06/2016

SDS Number 35000004808 GEN_SOF Number 16144

Notification status	:	All ingredients of this product comply with the New Substances Notification requirements under the Canadian Environmental Protection Act (CEPA).
California Prop. 65	:	This product is not subject to the reporting requirements under California's Proposition 65.

Registration # / Agency 4822-397/US/EPA

16. OTHER INFORMATION

HMIS Ratings	
Health	2
Flammability	4
Reactivity	0

NFPA Ratings		
Health	2	
Fire	4	
Reactivity	0	
Special	-	

This information is being provided in accordance with the Occupational Safety and Health Administration (OSHA) regulation (29 CFR 1910.1200). The information supplied is designed for workplaces where product use and frequency of exposure exceeds that established for the labeled consumer use.

Further information



OFF!® DEEP WOODS® SPORTSMEN INSECT REPELLENT II

Version 0.0

Print Date 09/06/2016

Revision Date 00/00/0000

SDS Number 35000004808 GEN_SOF Number 16144

This document has been prepared using data from sources considered to be technically reliable. It does not constitute a warranty, expressed or implied, as to the accuracy of the information contained herein. Actual conditions of use are beyond the seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.

Prepared by	SC Johnson Global Safety Assessment &
	Regulatory Affairs (GSARA)